

Contents

Volume 61

| | |
|--|---------|
| Differences in skin carcinogenesis by methylnitrosourea between mice of several strains W. Lijinsky, B.J. Thomas and R.M. Kovatch (Frederick, MD)..... | 1–5 |
| Combination of the minor groove-binder U73-975 or the intercalator mitoxantrone with antitumor alkylating agents in MCF-7 or MCF-7/CP cells L. Ayash, T. Korbut, T.S. Herman and B.A. Teicher (Boston, MA)..... | 7–14 |
| Lung adenoma structure among inbred strains of mice: the pulmonary adenoma histologic type (Pah) genes L.G. Thaete, M.N. Nesbitt and A.M. Malkinson (Boulder, CO and La Jolla, CA)..... | 15–20 |
| Inhibition of mouse skin tumor promotion by tenuazonic acid M. Antony, K.P. Gupta, K.K. Janardanan and N.K. Mehrotra (Lucknow, India)..... | 21–25 |
| Prevention by chemopreventive agents of azoxymethane-induced foci of aberrant crypts in rat colon M.A. Pereira and M.D. Khouri (Cincinnati, OH)..... | 27–33 |
| Tumor localization of monoclonal antibodies against human renal carcinoma in a xenograft model A.K. Guha, T. Ghose, M. Singh, J. Aquino, A.H. Blair, S.J. Luner and M. Mammen, (Halifax, Canada) | 35–43 |
| Augmentation of cytotoxicity using combinations of interferons (types I and II), tumor necrosis factor- α , and tamoxifen in MCF-7 cells R.K. Tiwari, G.Y. Wong, J. Liu, D. Miller and M.P. Osborne (New York, NY)..... | 45–52 |
| Metastases from fresh human non-small cell lung cancers propagated in nude mice W.G. Hammond, J.R. Benfield and R.L. Teplitz (Davis, CA)..... | 53–60 |
| Effects of 3-aminobenzamide on the post-initiation phase of <i>N</i> -nitrosobis(2-oxopropyl)amine induced pancreatic carcinogenesis in Syrian hamsters T. Tsujiuchi, K. Mizumoto, M. Tsutsumi, A. Denda, T. Amanuma, S. Kondoh and Y. Konishi (Nara and Fukuoka, Japan)..... | 61–66 |
| Induced morphological changes in human small cell lung carcinoma cells R.C. McGarry, V. Feyles, A. Tuff, J. Chapman and L.M. Jerry (Alberta, Canada)..... | 67–74 |
| Low-frequency electromagnetic radiation enhances the induction of rat mammary tumors by nitrosomethyl urea D.Sh. Beniashvili, V.G. Bilanishvili and M.Z. Menabde (Tbilisi, Republic of Georgia, U.S.S.R.)..... | 75–79 |
| Relationship between dietary, serum, and tissue levels of carotenoids R.V. Cooney, J.S. Bertram, J.H. Hankin, L.N. Kolonel, A. Miyake, K. Billings and W. Bourne (Honolulu, HI)..... | 81–87 |
| B16 melanoma response in vivo to photochemotherapy with mitoxantrone and red light A. Andreoni, G. Canti, G. Fabbrocini, M. Mastrocinque and E. Quarto (Naples and Milan, Italy)..... | 89–94 |
| Aberrant expression of the c-erbB-2/neu protooncogene in ovarian cancer M.-C. Hung, X. Zhang, D.-H. Yan, H.-Z. Zhang, G. He, T. Zhang and D. Shi (Houston, TX and Shanghai, People's Republic of China) | 95–103 |
| Protection against 7,12-dimethylbenzanthracene-induced tumour initiation by protein A in mouse skin S. Kumar, Y. Shukla, A.K. Prasad, A.S. Verma, P.D. Dwivedi, N.K. Mehrotra and P.K. Ray (Lucknow, India) | 105–110 |
| Human herpesvirus-6: tumorigenicity and tumor infiltrating lymphocytes A. Razzaque and R.K. Puri (Bethesda, MD) | 111–118 |
| Detection of transforming oncogenes in rat colon tumors induced by direct perfusion with <i>N</i> -methyl- <i>N</i> -nitrosourea R.J. Alexander, S.J. Garte, R.F. Raicht and J.N. Buxbaum (New York, NY) | 119–128 |

| | |
|---|-----------|
| The effect of ellagic acid on xenobiotic metabolism by cytochrome P-450IIE1 and nitrosodimethylamine mutagenicity | 129 – 134 |
| T. Wilson, M.J. Lewis, K.L. Cha and B. Gold (Omaha, NE) | |
| Systemic modulation by ultraviolet irradiation of cutaneous N-methyl-N'-nitro-N-nitrosoguanidine-induced carcinogenesis | 135 – 140 |
| H.L. Gensler (Tucson, AZ) | |
| Milk cream does not enhance 2,7-dimethylbenz[a]anthracene-induced mammary tumorigenesis | 141 – 145 |
| S. Yanagi, M. Yamashita, M. Tsuyuki, J. Morimoto, S. Haga and S. Imai (Nara, Japan) | |
| Circumvention of Adriamycin resistance: effect of 2-methyl-1,4-naphthoquinone (vitamin K ₃) on drug cytotoxicity in sensitive and MDR P388 leukemia cells | 147 – 156 |
| H.K. Parekh, H. Mansuri-Torshizi, T.S. Srivastava and M.P. Chitnis (Bombay, India) | |
| Flow cytometric analysis of tumour infiltrating lymphocyte activation and tumour cell MHC Class I and II expression in breast cancer patients | 157 – 164 |
| P. Whitford, W.D. George and A.M. Campbell (Glasgow, U.K.) | |
| Methylation of rat and mouse DNA by the mushroom poison gyromitrin and its metabolite monomethylhydrazine | 165 – 170 |
| K. Bergman and K.-E. Hellenäs (Uppsala, Sweden) | |
| Inhibitory effect of prostaglandin oligomeric derivatives on 9,10-dimethyl-1,2-benzanthracene-induced hamster lingual carcinomas | 171 – 176 |
| S. Hidaka, N. Morita, S.T. Ohnishi, Y. Oga and K. Abe (Fukuoka, Japan and King of Prussia, PA) | |
| Induction of colorectal cancer in rats by 20-methylcholanthrene | 177 – 183 |
| R.N. Baral and P. Maity (Calcutta, India) | |
| Announcement | 185 |
| Modulatory influence of injectable contraceptive steroid medroxyprogesterone acetate on methylcholanthrene-induced carcinogenesis in the uterine cervix of mouse | 187 – 193 |
| S.P. Hussain and A.R. Rao (New Delhi, India)..... | |
| Piperine, a plant alkaloid of the piper species, enhances the bioavailability of aflatoxin B ₁ in rat tissues | 195 – 199 |
| A. Allameh, M. Saxena, G. Biswas, H.G. Raj, J. Singh and N. Srivastava (Delhi, India)..... | |
| Immunoquantitation of Von Willebrand factor (factor VIII-related antigen) in vinyl chloride exposed workers | 201 – 206 |
| O. Froment, M.-J. Marion, D. Lepot, J.-C. Contassot and C. Trépo (Lyon and Saint-Fons, France) | |
| Differences in metabolic activation of dibenzo[a,e]fluoranthene characterized by ³² P-postlabeling in two mouse fibroblast models | 207 – 213 |
| O. Périn-Roussel, N. Barat, M.J. Plessis and F. Zajdela (Cedex, France)..... | |
| γ -Interferon and retinoic acid synergize in inhibiting the growth of human neuroblastoma cells in nude mice | 215 – 220 |
| P. Cornaglia-Ferraris, G.L. Mariottini, and M. Ponzoni (Genoa, Italy)..... | |
| Changes in alanine transport in plasma membrane vesicles from rat liver during the early stages of diethylnitrosamine-induced hepatocarcinogenesis | 221 – 227 |
| M.G. Leonardi and R. Comolli (Milano, Italy)..... | |
| Lack of modulation effects of praziquantel on DMN-induced lesion development in the Syrian hamster liver | 239 – 242 |
| W. Thamavit, M.A. Moore, S. Ruchirawat and N. Ito (Bangkok, Thailand and Nagoya, Japan)..... | |
| Stimulation of DNA synthesis by rat plasma following in vivo treatment with three liver mitogens | 233 – 238 |
| P. Coni, G. Pichiri-Coni, G.M. Ledda-Columbano, E. Semple, S. Rajalakshmi, P.M. Rao, D.S.R. Sarma and A. Columbano (Cagliari, Italy and Ontario, Canada)..... | |
| The enzymatic activities of branched-chain amino acid catabolism in tumour-bearing rats | 243 – 253 |
| J.M. Argilés and F.J. López-Soriano (Barcelona, Spain)..... | |
| Cystatins and stefins in ascites fluid from ovarian carcinoma | 255 – 262 |
| T.T. Lah, M. Kokalj-Kunovar, L. Kastelic, J. Babnik, A. Štolfa, S. Rainer and V. Turk (Slovenia, Yugoslavia)..... | |
| Monitoring of urinary excretion of modified nucleosides in cancer patients using a set of six monoclonal antibodies | |
| C. Reynaud, C. Bruno, P. Boullanger, J. Grange, S. Barbesti and A. Niveleau (Cedex, France and Milano, Italy)..... | |

| | |
|--|-----------|
| Fractionated treatment of CaD2 tumors in mice sensitized with aluminium phthalocyanine tetrasulfonate H. Anholt and J. Moan (Oslo, Norway)..... | 263 - 267 |
| Subject Index Volume 61..... | 269 - 272 |
| Author Index Volume 61..... | 273 - 274 |
| Contents Volume 61..... | 275 - 277 |

